

Protein Skimmer



- One-piece injection molded skimmer provides more stability.
- 4~4.5mm super thick acrylic body offers scream durability.
- Triple seal collection cup, large adjustable air silencer, intake strainer on the pump.
- Superior performance, pretty quiet, long life service Augabee POM needle wheel pump.
- Tool-free completely disassembled skimmer for easy cleaning and maintenance.

Protein Skimmer



Model: I-120

Capability: 200-400 L
Water level: 15-18 cm
Pump: Aquabee UP800/AC
Power: 8 watt
Dimension: 142*225*450 mm
Weight: 3 kg



Model: I-130

Capability: 300-600 L
Water level: 16-19 cm
Pump: Aquabee UP 1000/AC
Power: 10 watt
Dimension: 185*245*500 mm
Weight: 3 kg



Model: I-160

Capability: 500-1000 L
Water level: 20-24 cm
Pump: Aquabee UP 2000/AC
Power: 15 watt
Dimension: 210*280*525 mm
Weight: 5 kg



Model: I-200

Capability: 800-1600 L
Water level: 21-27 cm
Pump: Aquabee UP 2000 i/AC
Power: 18 watt
Dimension: 242*320*555 mm
Weight: 5.5 kg

Protein Skimmer



Model: I-250

Capability: 1000-2000 L
Water level: 22-28 cm
Pump: Aquabee UP 5000/24v DC
Power: 30 watt
Dimension: 282*365*610 mm
Weight: 7 kg



Model: I-250 PRO

Capability: 1500-3000 L
Water level: 22-28 cm
Pump: Aquabee UP 8000/24V DC
Power: 0~50 watt
Dimension: 282*365*610 mm
Weight: 7 kg



Model: I-320

Capability: 2500-5000 L
Water level: 23-30 cm
Pump: Aquabee UP 5000/24v DC x2
Power: 30 watt x2
Dimension: 383*465*670 mm
Weight: 12 kg



Model: I-320 PRO

Capability: 3000-6000 L
Water level: 20-35 cm
Pump: Aquabee UP 5000/24v DC x2
Power: 0~60 watt
Dimension: 383*465*670 mm
Net weight: 12 kg