


HP SERIES SOLAR STREET LAMP

Hollow panel for better ventilation and heat dissipation; 5050 lamp beads with high brightness, detachable battery,



5050 LED | 220 LM/W | 30% Increase in number rate



Die cast aluminum



Ventilation and
heat dissipation



5050 lamp beads



Modular design

OPTIONAL LED BILLBOARD

Optional LED billboard that displays numbers, text and pattern.



SOLAR
STREET LIGHT

HIGH-QUALITY LED

Using ultra-high brightness of
SMD5050 LED chips which reach
220LM / W.





Model	HP-01	Working temperature	-20℃~60℃
Battery	Efficient imported lithium battery	Protection level	TUV IP66
LED Light source	Taiwan Everlight	Solar Panel	Efficient imported silicon solar cell
Color temperature	6000-7000K	Package size	1100*600*100MM /520*365*240MM
Lumen	12000LM		
Working hours	10-12 hours per night, 3-5 rainy days		



Model	HP-02	Working temperature	-20℃~60℃
Battery	Efficient imported lithium battery	Protection level	TUV IP66
LED Light source	Taiwan Everlight	Solar Panel	Efficient imported silicon solar cell
Color temperature	6000-7000K	Package size	1417*600*100MM /520*365*240MM
Lumen	15000LM		
Working hours	10-12 hours per night, 3-5 rainy days		



Model	HP-03	Working temperature	-20℃~60℃
Battery	Efficient imported lithium battery	Protection level	TUV IP66
LED Light source	Taiwan Everlight	Solar Panel	Efficient imported silicon solar cell
Color temperature	6000-7000K	Package size	1652*600*100MM /520*365*240MM
Lumen	18000LM		
Working hours	10-12 hours per night, 3-5 rainy days		



Model	HP-04	Working temperature	-20℃~60℃
Battery	Efficient imported lithium battery	Protection level	TUV IP66
LED Light source	Taiwan Everlight	Solar Panel	Efficient imported silicon solar cell
Color temperature	6000-7000K	Package size	1557*738*100MM /520*365*240MM
Lumen	22000LM		
Working hours	10-12 hours per night, 3-5 rainy days		



Model	HP-05	Working temperature	-20℃~60℃
Battery	Efficient imported lithium battery	Protection level	TUV IP66
LED Light source	Taiwan Everlight	Solar Panel	Efficient imported silicon solar cell
Color temperature	6000-7000K	Package size	1837*738*100MM /520*365*240MM
Lumen	25000LM		
Working hours	10-12 hours per night, 3-5 rainy days		