




RoHS Consolidated Test Report

| | |
|-----------------------------|--|
| Applicant | : Shenzhen Southern Machinery Sales and Service Co.,Ltd |
| Applicant Address | : Room 1806, Block 3, Jinyun COFCO, Qianjin 2nd Road ,Baoan District, Shenzhen City, China |
| Manufacturer | : Shenzhen Southern Machinery Sales and Service Co.,Ltd |
| Manufacturer Address | : Room 1806, Block 3, Jinyun COFCO, Qianjin 2nd Road ,Baoan District, Shenzhen City, China |
| Product | : Radial insertion machine |
| Model No. | : S3000, S3010, S3020, S3040, S3060, S3010A, S3020A, S3040A, S3060A, S3010, S3020B, S3040B, S3060B |
| Trademark | :  |
| Date of Issue | : Apr.26,2019 |

Test Standards: RoHS directive 2011/65/EU Annex II amending Annex (EU)2015/863.

Test Method:

| Tested Item(s) | Test Method | Measured Equipment(s) | MDL |
|--|--|-----------------------|---------|
| Lead(Pb) | IEC 62321-5:2013 | ICP-OES | 2mg/kg |
| Cadmium(Cd) | IEC 62321-5:2013 | ICP-OES | 2mg/kg |
| Mercury(Hg) | IEC 62321-4:2013+A1:2017 | ICP-OES | 2mg/kg |
| Hexavalent Chromium(Cr(VI)) | IEC 62321-7-1:2015 IEC 62321-7-2:2017 | UV-VIS | 2mg/kg |
| Polybrominated Biphenyls (PBBs) | IEC 62321-6:2015 | GC-MS | 5mg/kg |
| Polybrominated Diphenyl Ethers (PBDEs) | IEC 62321-6:2015 | GC-MS | 5mg/kg |
| Di-(2-ethylhexyl) phthalate(DEHP) | IEC 62321-8:2017 | GC-MS | 50mg/kg |
| Benzylbutyl phthalate(BBP) | IEC 62321-8:2017 | GC-MS | 50mg/kg |
| Dibutyl phthalate (DBP) | IEC 62321-8:2017 | GC-MS | 50mg/kg |
| Diisobutyl phthalate(DIBP) | IEC 62321-8:2017 | GC-MS | 50mg/kg |

Test Result(s) Please refer to the following page(s).

Approved by: Kevin Yang

(Kevin Yang)





RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|----------------------|------------|--------------------------------------|---|
| 01 | Spline shaft | SGS | GZ0141547984/CHEM Date:2018/08/27 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 02 | Head steering sensor | SGS | SZTYR070141567/RS Date:2018/10/12 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 03 | Spline bushing | SGS | SH4145689/CHEM Date:2018/09/23 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 04 | Belt 180XL-10 | SGS | KA/2018/18446 Date:2018/09/10 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|------------------------|------------|--------------------------------------|---|
| 05 | Rotating pulley | SGS | KA/2018/C1841 Date:2018/09/10 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 06 | M8X55 screw | SGS | EC184546644 Date:2018/09/21 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 07 | Key (5*5*30) | SGS | KA/2018/19465 Date:2018/10/10 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 08 | Head pulley A (20L) | SGS | GZ0701548798/CHEM Date:2018/10/19 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|-------------------------------|------------|--------------------------------------|---|
| 09 | M20*1.5 nut | SGS | GZ0181564154/CHEM Date:2018/09/24 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 10 | Plug head bearing cover 3 | SGS | SZTYR071564940/RS Date:2018/10/20 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 11 | Photoelectric switch SX670 | SGS | SH4051579/CHEM Date:2018/11/21 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 12 | Head gear mount | SGS | KA/2018/18464 Date:2018/09/09 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|---------------------------------------|------------|--------------------------------------|---|
| 13 | Vertical gear | SGS | KA/2018/C1817 Date:2018/09/23 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 14 | M8X30 cup head screw | SGS | EC184545679 Date:2018/08/30 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 15 | M8X30 cup head screw | SGS | KA/2018/14855 Date:2018/10/10 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 16 | Vertical machine belt adjustment ring | SGS | GZ0701456988/CHEM Date:2018/07/27 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|-------------------------------|------------|-----------------------------------|---|
| 17 | Pin (diameter 6.3, length 18) | SGS | CANEC184456471 Date:2018/09/24 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 18 | Rack seat 1M | SGS | KA/2018/C1894 Date:2018/11/08 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 19 | Pin (diameter 5, length 18) | SGS | EC189454571 Date:2018/09/29 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 20 | Vertical machine head cover | SGS | CANEC189454451 Date:2018/10/22 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|----------------------|------------|--------------------------------------|---|
| 21 | Rack mounting plate | SGS | SH184945644/CHEM Date:2018/11/01 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 22 | M4X25 cup head screw | SGS | GZ1815156498/CHEM Date:2018/10/27 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 23 | Bearing 61806 | SGS | SH4945645/CHEM Date:2018/10/22 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 24 | 14 toothed rod seat | SGS | KA/2018/19976 Date:2018/10/21 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|------------------------------|------------|--------------------------------------|---|
| 24 | Pressing shaft sensor | SGS | KA/2018/18947 Date:2018/10/15 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 25 | Pusher screw fixing plate | SGS | GZ1111185454/CHEM Date:2018/10/21 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 27 | LMH16 (optical shaft sleeve) | SGS | SH7141567/CHEM Date:2018/09/16 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 28 | M6X25 cup head screw | SGS | CANEC189456478 Date:2018/10/20 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|------------------------------|------------|--------------------------------------|---|
| 29 | 16-axis positioning plate | SGS | SH181574896/CHEM Date:2018/09/18 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 30 | Pusher screw fixing block | SGS | GZ0944564798/CHEM Date:2018/10/19 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 31 | 14 tooth screw | SGS | SH1894564-1/CHEM Date:2018/10/12 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 32 | 16 optical axis (length 395) | SGS | CANEC1954894655 Date:2018/10/17 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|--------------------------------|------------|--------------------------------------|---|
| 33 | Pressing shaft induction frame | SGS | SH184156457/CHEM Date:2018/10/20 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 34 | Plug head drive gear 2 | SGS | GZ1897455455/CHEM Date:2018/09/12 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 35 | Pusher screw seat | SGS | SH4945798/CHEM Date:2018/10/24 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 36 | Plug head bearing cover 4 | SGS | KA/2018/19478 Date:2018/09/19 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|-------------------------|------------|--------------------------------------|---|
| 37 | Push rod mounting plate | SGS | KA/2018/C1967 Date:2018/11/01 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 38 | Pusher screw seat cover | SGS | SH184894789/CHEM Date:2018/12/04 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 39 | Bearing 16004 | SGS | GZ7115648988/CHEM Date:2018/10/28 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 40 | Fixed reticle | SGS | CANEC181549856 Date:2018/09/16 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|--------------------|------------|--------------------------------------|---|
| 41 | Slider upper plate | SGS | SH18685576/CHEM Date:2018/10/15 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 42 | Sensor sheet 1 | SGS | CANEC184156785 Date:2018/10/26 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 43 | Head mounting body | SGS | GZ0901564579/CHEM Date:2018/12/03 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 44 | Sensor chip | SGS | KA/2018/18815 Date:2018/09/27 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|-------------------------|------------|--------------------------------------|---|
| 45 | Plug head bearing cover | SGS | SZTYR184564175/RS Date:2018/10/31 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 46 | Customized nuts | SGS | SH1115647/CHEM Date:2018/10/27 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 47 | Bearing 16009 | SGS | CANEC181156989 Date:2018/10/12 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 48 | Bearing housing | SGS | SH18156798/CHEM Date:2018/09/18 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|----------------------------|------------|--------------------------------------|---|
| 49 | Press bar | SGS | CANEC182546528 Date:2018/09/30 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 50 | Plug head bearing cover 1 | SGS | GZ0941125615/CHEM Date:2018/10/24 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 51 | Photoelectric switch SX670 | SGS | KA/2018/18946 Date:2018/10/10 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 52 | Buffer rubber | SGS | SZTYR811615647/RS Date:2018/09/21 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|------------------------|------------|--------------------------------------|---|
| 53 | Pole | SGS | SH1815649/CHEM Date:2018/10/13 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 54 | Spring (0.3*6*2*75) | SGS | SH18156456/CHEM Date:2018/09/03 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 55 | Right cutter | SGS | CANEC195623745 Date:2018/11/12 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 56 | Plug-in master | SGS | GZ0941156415/CHEM Date:2018/11/22 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|-----------------------|------------|--------------------------------------|---|
| 57 | Spring (0.3*3*1*4) | SGS | KA/2018/16956 Date:2018/12/27 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 58 | Left cutter | SGS | SZTYR815156465/RS Date:2018/12/16 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 59 | Pin 4 | SGS | SH1986568/CHEM Date:2018/11/10 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 60 | Triangle slider | SGS | GZ7489478465/CHEM Date:2018/10/11 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|--------------------------|------------|--------------------------------------|---|
| 61 | 8/32X12 screw | SGS | CANEC181564561 Date:2018/11/08 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 62 | 5/8 base screw | SGS | SH18156489/CHEM Date:2018/11/04 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 63 | Spring (0.6*5*1.5*48) | SGS | CANEC181564987 Date:2018/11/17 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 64 | 5/8X6 screw | SGS | GZ0915645698/CHEM Date:2018/11/20 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|--------------------------|------------|--------------------------------------|---|
| 65 | 8/32X10 base meter screw | SGS | KA/2018/16654 Date:2018/10/27 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 66 | Pin 3 | SGS | SZTYR815645658/RS Date:2018/12/19 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 67 | Bearing 619/5 | SGS | SH1656532/CHEM Date:2018/11/10 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 68 | 5/8X16 screw | SGS | CANEC187894541 Date:2018/10/21 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|------------------|------------|--------------------------------------|---|
| 69 | Pad 1 | SGS | SH18658654/CHEM Date:2018/12/09 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 70 | Slider 2A | SGS | CANEC181456687 Date:2018/10/11 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 71 | Spring piece | SGS | GZ0941564578/CHEM Date:2018/10/09 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 72 | Rotating block 1 | SGS | KA/2018/16598 Date:2018/12/13 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|----------------------------|------------|--------------------------------------|---|
| 73 | Pin 2 (3.175) | SGS | SZTYR811564894/RS Date:2018/10/27 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 74 | Plugin header body | SGS | SH1846258/CHEM Date:2018/11/10 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 75 | 5/8X10 base meter screw | SGS | CANEC186156641 Date:2018/09/10 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 76 | Shaped slider | SGS | SH18653238/CHEM Date:2018/10/11 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|----------------------|------------|--------------------------------------|---|
| 77 | Plug head tight loop | SGS | CANEC181256457 Date:2018/10/21 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 78 | Slider 1 | SGS | GZ0915645984/CHEM Date:2018/10/20 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 79 | Pin 1 (3.175) | SGS | KA/2018/16956 Date:2018/10/28 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 80 | M6X20 cup head screw | SGS | SZTYR819856532/RS Date:2018/10/23 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|--|------------|------------------------------------|---|
| 81 | 5/8X12 screw | SGS | SH18589656CHEM Date:2018/09/03 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 82 | 5/8 base screw | SGS | CANEC141564841 Date:2018/10/15 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 83 | Rotating wheel | SGS | SH18985615/CHEM Date:2018/10/16 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 84 | Left and right cutter fixing block | SGS | CANEC189866467 Date:2018/10/30 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|------------------|------------|--------------------------------------|---|
| 85 | Jack fixed block | SGS | GZ0156446685/CHEM Date:2018/10/11 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 86 | 1.5 pin | SGS | KA/2018/16986 Date:2018/12/27 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 87 | Small wheel | SGS | SZTYR819745156/RS Date:2018/10/16 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 88 | Small pad wheel | SGS | SH1454657/CHEM Date:2018/11/09 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|--------------------|------------|--------------------------------------|---|
| 89 | Pad | SGS | CANEC198635651 Date:2018/10/25 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 90 | Plug head clamp | SGS | SH18978456/CHEM Date:2018/10/11 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 91 | CTA motherboard | SGS | CANEC186532867 Date:2018/10/17 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 92 | Support frame 1 | SGS | GZ0905641564/CHEM Date:2018/11/13 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|--------------------------------|------------|--------------------------------------|---|
| 93 | M6X20 screw | SGS | KA/2018/16985 Date:2018/10/21 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 94 | Pin (diameter 6, length 20) | SGS | SZTYR815649865/RS Date:2018/10/08 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 95 | Sprocket gasket | SGS | SH1895658/CHEM Date:2018/10/15 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 96 | Chain gear | SGS | CANEC181567689 Date:2018/11/10 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|-------------------------------|------------|--------------------------------------|---|
| 97 | Pin (diameter 6.3, length 20) | SGS | SH18015648/CHEM Date:2018/10/14 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 98 | Bearing 61912 | SGS | CANEC186533228 Date:2018/11/21 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 99 | Sprocket bearing cap | SGS | GZ0941567898/CHEM Date:2018/10/09 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 100 | Sprocket cover | SGS | KA/2018/18985 Date:2018/10/12 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|--------------------------------|------------|--------------------------------------|---|
| 101 | M6X30 cup head screw | SGS | SZTYR811645765/RS Date:2018/09/03 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 102 | Sprocket bearing | SGS | SH1845456/CHEM Date:2018/11/04 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 103 | Left white racing steel gasket | SGS | CANEC189874456 Date:2018/11/10 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 104 | Right white race steel gasket | SGS | SH18045456/CHEM Date:2018/10/07 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|----------------------------------|------------|--------------------------------------|---|
| 105 | Support frame 2 | SGS | CANEC184897465 Date:2018/09/04 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 106 | Chain clamp roller | SGS | GZ0991361254/CHEM Date:2018/10/28 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 107 | Screw limit block | SGS | KA/2018/18895 Date:2018/11/02 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 108 | Left and right adjustment screws | SGS | SZTYR156498995/RS Date:2018/10/31 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|--|------------|------------------------------------|---|
| 109 | Chain clamp roller fixing block | SGS | SH1156499/CHEM Date:2018/11/30 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 110 | Bearing FR168zz | SGS | CANEC189856458 Date:2018/11/10 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 111 | Spring (0.9*9*4*22) | SGS | SH18025156/CHEM Date:2018/11/29 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 112 | Chain clamp up and down adjustment screw | SGS | CANEC184656752 Date:2018/12/26 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|---------------------------|------------|--------------------------------------|---|
| 113 | X plate | SGS | GZ0904894565/CHEM Date:2018/11/21 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 114 | X screw bearing housing 1 | SGS | KA/2018/18459 Date:2018/09/04 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 115 | M6X25 cup head screw | SGS | GZ0901546455/CHEM Date:2018/11/21 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 116 | Bearing 6202 | SGS | GZ0701198489/CHEM Date:2018/11/19 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|----------------------------|------------|--------------------------------------|---|
| 117 | X buffer rubber | SGS | SH184941216/CHEM Date:2018/10/14 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 118 | X screw nut sleeve | SGS | GZ1841564542/CHEM Date:2018/09/17 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 119 | X limit sensor bracket | SGS | SH4125651/CHEM Date:2018/11/07 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 120 | Photoelectric switch SX670 | SGS | KA/2018/19560 Date:2018/12/11 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|-------------------------|------------|--------------------------------------|---|
| 121 | Platform rail 2 | SGS | KA/2018/C1678 Date:2018/09/07 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 122 | Screw nut | SGS | EC189526324 Date:2018/10/16 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 123 | X origin sensor bracket | SGS | KA/2018/18655 Date:2018/07/30 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 124 | Platform screw 1 | SGS | GZ0711564641/CHEM Date:2019/01/26 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|---------------------------|------------|--------------------------------------|---|
| 125 | X screw bearing housing 2 | SGS | SH7156569/CHEM Date:2018/12/01 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 126 | X platform motor mount | SGS | CANEC186165682 Date:2018/11/05 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 127 | Coupling (14-12) | SGS | SH180652656/CHEM Date:2018/10/16 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 128 | Fuji 400W motor | SGS | GZ0942156415/CHEM Date:2018/09/09 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|-------------------------------|------------|-------------------------------------|---|
| 129 | Rear bracket connecting plate | SGS | SH1865327-1/CHEM Date:2018/09/22 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 130 | M12 screw gasket | SGS | CANEC1953562155 Date:2018/10/17 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 131 | M12X30 cup head screw | SGS | SH18452894/CHEM Date:2018/11/13 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 132 | 100W small motor | SGS | CANEC185653757 Date:2018/10/10 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|----------------------------------|------------|--------------------------------------|---|
| 133 | Turntable front guard | SGS | SH189845645/CHEM Date:2018/11/26 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 134 | Turntable motor mounting plate | SGS | GZ1489454566/CHEM Date:2018/12/19 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 135 | Turntable motor mounting bracket | SGS | SH4156413/CHEM Date:2018/09/18 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 136 | Cylinder (CJ2B10-15) | SGS | KA/2018/18685 Date:2018/10/15 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|-------------------------|------------|-----------------------------------|---|
| 137 | Turntable pusher | SGS | KA/2018/C1997 Date:2019/01/17 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 138 | M6 nut | SGS | EC181954654 Date:2019/02/22 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 139 | Bearing F606z | SGS | KA/2018/18637 Date:2018/11/27 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 140 | Cylinder mounting plate | SGS | CANEC189474897 Date:2018/10/22 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|-------------------------|------------|--------------------------------------|---|
| 141 | Cylinder connecting rod | SGS | GZ0915645874/CHEM Date:2018/12/19 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 142 | White racing steel pin | SGS | KA/2019/19653 Date:2019/01/20 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 143 | Turntable lock | SGS | SZTYR816567454/RS Date:2018/12/17 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 144 | Bent pipe (KJL-04-M3) | SGS | SH1968568/CHEM Date:2018/10/14 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|---------------------------------------|------------|--------------------------------------|---|
| 145 | Turntable lateral device X | SGS | GZ7151564618/CHEM Date:2018/09/11 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 146 | Solenoid valve SMC (vqz115-5gb-m5-pr) | SGS | SH1815457-1/CHEM Date:2018/11/07 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 147 | M5X15 cup head screw | SGS | KA/2018/19418 Date:2018/10/16 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 148 | M6X25 cup head screw | SGS | GZ0700458878/CHEM Date:2018/11/08 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|----------------------------|------------|--------------------------------------|---|
| 149 | Turntable left guard | SGS | SH184941216/CHEM Date:2018/07/14 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 150 | Turntable sensor | SGS | GZ1841564542/CHEM Date:2018/11/09 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 151 | Turntable sensor board | SGS | SH4125651/CHEM Date:2018/12/07 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 152 | Turntable scrolling device | SGS | KA/2018/19560 Date:2018/09/11 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|-------------------------------------|------------|--------------------------------------|---|
| 153 | Y limit sensor | SGS | KA/2018/C1678 Date:2018/07/07 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 154 | Reinforcement plate after turntable | SGS | EC189526324 Date:2018/10/16 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 155 | Disc mounting plate 1 | SGS | KA/2018/18655 Date:2018/11/30 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 156 | Y origin sensor | SGS | GZ0701415648/CHEM Date:2018/12/27 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|------------------------------|------------|--------------------------------------|---|
| 157 | Turntable right guard | SGS | GZ0711564641/CHEM Date:2018/09/26 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 158 | Turn the motor pulley (16XL) | SGS | SH7156569/CHEM Date:2018/08/01 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 159 | Belt 222XL-10 | SGS | CANEC186165682 Date:2018/09/05 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 160 | Motor cover | SGS | SH180652656/CHEM Date:2018/11/16 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|------------------------------|------------|--------------------------------------|---|
| 161 | Connecting pin 2 | SGS | GZ0141547987/CHEM Date:2018/08/27 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 162 | Shearing cylinder block | SGS | GZ0942156415/CHEM Date:2018/09/09 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 163 | M8 nut | SGS | SH1865327-1/CHEM Date:2018/11/22 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 164 | Cylinder 2 connecting rod | SGS | CANEC1953562155 Date:2018/12/17 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|------------------------|------------|--------------------------------------|---|
| 165 | Base spline shaft | SGS | SH18452894/CHEM Date:2018/07/13 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 166 | CF5 | SGS | CANEC185653757 Date:2018/06/10 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 167 | Connecting mechanism 1 | SGS | GZ0915645874/CHEM Date:2018/09/19 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 168 | Bearing 619-6 | SGS | KA/2019/15653 Date:2019/01/20 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|-------------------------------------|------------|--------------------------------------|---|
| 169 | Connecting pin 1 | SGS | GZ0181165485/CHEM Date:2018/09/24 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 170 | Connection pin | SGS | SZTYR816567454/RS Date:2018/12/01 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 171 | Connecting mechanism 5 | SGS | SH1968568/CHEM Date:2018/11/03 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 172 | Cylinder (SMC-CDQ2B4 0-10DCZ) | SGS | GZ7151564678/CHEM Date:2018/10/21 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|--------------------------------|------------|--------------------------------------|---|
| 173 | Magnetic switch (SMC-D-A93) | SGS | SH189845645/CHEM Date:2018/12/26 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 174 | Regulating valve PL6-01 | SGS | GZ1489454566/CHEM Date:2018/09/19 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 175 | Base connection block | SGS | SH4156413/CHEM Date:2018/08/18 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 176 | Bearing spacer | SGS | KA/2018/18685 Date:2018/09/15 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|-------------------------------------|------------|-----------------------------------|---|
| 177 | Bearing 6001 | SGS | KA/2018/C1997 Date:2018/09/17 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 178 | Base rotary motor induction bracket | SGS | EC181954654 Date:2018/11/22 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 179 | Photoelectric switch SX670 | SGS | KA/2018/18637 Date:2018/10/27 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 180 | Base 1 | SGS | CANEC189415781 Date:2018/10/20 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|------------------------|------------|--------------------------------------|---|
| 181 | Induction pulley screw | SGS | GZ0714714561/CHEM Date:2018/09/17 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 182 | Intermediate shaft | SGS | SH1564561/CHEM Date:2018/08/27 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 183 | M14X1.5 nut | SGS | CANEC186564982 Date:2018/11/10 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 184 | Bearing 6009 | SGS | SH115647845/CHEM Date:2018/08/20 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|-----------------------------------|------------|--------------------------------------|---|
| 185 | Square gasket | SGS | KA/2018/C1846 Date:2018/09/12 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 186 | Base up and down protection cover | SGS | EC184515794 Date:2018/09/01 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 187 | Scissor foot set | SGS | KA/2018/16878 Date:2018/10/08 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 188 | Shearing device | SGS | GZ0700415647/CHEM Date:2018/10/11 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|----------------------|------------|--------------------------------------|---|
| 189 | Base rotating pulley | SGS | CANEC186518594 Date:2018/09/19 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 190 | Spline bushing | SGS | SH184941216/CHEM Date:2018/07/14 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 191 | Belt 128XL-10 | SGS | GZ1841564542/CHEM Date:2018/09/17 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 192 | Induction pulley nut | SGS | SH4125651/CHEM Date:2018/08/07 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|------------------------|------------|----------------------------------|---|
| 193 | M8X50 cup head screw | SGS | KA/2018/19560 Date:2018/06/11 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 194 | Base pad | SGS | KA/2018/C1678 Date:2018/07/07 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 195 | Base acrylic cover | SGS | EC189526324 Date:2018/11/15 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 196 | Shearing pulley (15XL) | SGS | KA/2018/18655 Date:2018/07/30 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|------------------|------------|--------------------------------------|---|
| 197 | 18 hoops | SGS | GZ0711564641/CHEM Date:2018/10/26 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 198 | Base motor mount | SGS | SH7156569/CHEM Date:2018/08/01 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 199 | Fuji 400W motor | SGS | CANEC186165682 Date:2019/01/05 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 200 | Bearing gasket | SGS | SH180652656/CHEM Date:2018/11/16 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|-----------------------------|------------|--------------------------------------|---|
| 201 | Bearing spacer A | SGS | KA/2018/C1597 Date:2018/09/03 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 202 | Induction pulley (15XL) | SGS | GZ0942156415/CHEM Date:2018/08/09 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 203 | Induction pulley screw 1 | SGS | SH1865327-1/CHEM Date:2018/11/04 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 204 | Base plate | SGS | CANEC1953562155 Date:2018/10/18 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |



RoHS Consolidated Test Report

| No. | Component | Issue Body | Report No.& Issue Date | Test Data(ppm) |
|-----|-------------------------------------|------------|--------------------------------------|---|
| 205 | Cylinder (SMC-CDQ2B50 -10DCZ) | SGS | SH18452894/CHEM Date:2018/07/13 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 206 | Belt 222XL-10 | SGS | CANEC185653757 Date:2018/09/10 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |
| 207 | Bent pipe PL6-01 | SGS | GZ0915645874/CHEM Date:2018/11/19 | Cd: N.D Pb: N.D Hg: N.D Cr ⁶⁺ :N.D PBBS: N.D PBDES: N.D DEHP:N.D BBP:N.D DBP:N.D DIBP:N.D |

Remarks:

- (1) This report is not a formal test report but only consolidating the test date listed above;
- (2) Test results are from other testing organizations. Shenzhen HTT Technology Co., Ltd. Has no liability to assume the verification of the authenticity of the above test reports results.
- (3) The report shall not be reproduced in part without written approval of us.

RoHS Consolidated Test Report

Photo(s) of the sample(s)



*** End of report ***