

特别提醒：本公司保留对产品外观和配件修改的权力，如有变更恕不另行通知，一切产品尺寸和颜色以实物为准。

Note:

Sunlets reserves the right to make change on the product appearance and accessories and no further notice is given.



北京森兰特科技有限公司

Beijing sunlets technology co.,Ltd.

地址：北京市昌平区龙旗广场 E 座 911 室

Address:

Room 911 Tower E Longqi Plaza

Changping, Beijing China 102208

联系人：沈金梅

Contact: Jenny Shen

E_mail:jmshen0114@sunletsgroup.com

联系电话

P: +86 10 8219 2891

M:+86 1800 129 7796 (WhatsApp/Wechat)

E-mail: jmshen0114@sunletsgroup.com

www.sunletsceramics.com (Ceramics Sanitaryware)

www.sunlets.net (Machinery & Facilities)



wechat

PRODUCTS CATALOGUE

北京森兰特科技有限公司

Beijing Sunlets Technology Co.,Ltd.

2023





北京森兰特科技有限公司

Beijing Sunlets Technology Co., Ltd

About SUNLETS Technology



Since establishment in 2006, Sunlets Technology has been providing professional services to a number of leading global brands in the sanitary ware field for over a decade. The marketing centre is located at headquarters in Beijing and ceramics factory is located in Tangshan, Hebei province, China, specializing in the production and development of high-end sanitary ceramic sanitary ware.

Sunlets is committed to improving product quality and production efficiency through technological innovation and equipment intelligence, thereby providing quality products and services to the customers. Sunlets Technology provides OEM services for mid to high end sanitary ceramics for many of the world's leading sanitary brands.

Currently, our product range includes smart toilets, close-coupled toilets, one-piece toilets, wash basins, cabinet basins, pedestal basins, large size FFC shower bases and urinals and other sanitary products. Sunlets Technologies can continuously provide highly customised, high quality, new product development and mass production services.

Sunlets Technology is different from other ceramic manufacturers because we operate our factory that produces 1 million pieces ceramic sanitary ware per year and our company that designs, develops and manufactures high pressure casting equipment for ceramic sanitary ware factories worldwide, we are the first manufacturer of high pressure casting equipment for sanitary ceramics in China. We continuously to create sanitary ceramic masterpieces through process innovation, equipment upgrades, and stringent quality control procedures.

自 2006 年成立以来，森兰特科技为全球多家卫浴领域的领先品牌提供了十几年的专业服务。其营销中心位于北京总部，陶瓷工厂位于中国河北唐山市，专门从事优质卫生陶瓷洁具的生产和开发。


森兰特科技致力于通过技术创新和设备智能化提升产品质量和生产效率，从而为客户提供优质的产品和服务。森兰特科技为多家世界知名卫浴品牌提供中高端卫生陶瓷 OEM 服务。

目前，我们的产品范围包括智能马桶、分体马桶、连体马桶、洗手盆、柜盆、立柱盆，大尺寸 FFC 淋浴房底座和小便池等卫浴产品。森兰特科技可持续提供高度定制的优质、新产品开发和量产服务。

森兰特科技与其他陶瓷制造商不同，因为我们运营着每年生产 100 万件陶瓷卫生洁具的工厂，以及为全球陶瓷卫生洁具工厂设计、开发和制造高压成型设备的公司，我们是中国第一家卫生陶瓷高压成型设备制造商。我们通过工艺创新，设备升级，以及严苛的品质控制流程，持续打造卫生陶瓷精品。

PRODUCT DEVELOPMENT 开发

- Professional R&D team over 40 members
- Professional Developers
- Products comply with industry standards in major global markets such as North America, Europe, the United Kingdom, Australia, and Japan.



3D Scanner & CAD

CNC



40 多人的专业研发团队
产品符合北美、欧洲、英国、澳大利亚、日本等全球主要市场的行业标准

CASTING 成型



Basins High-Pressure Casting
盆类高压成型线



WC Pan High Pressure Casting
坐便器高压成型线



Medium Pressure Casting
中压成型线



Tank High-Pressure Casting
水箱高压成型线



Gloss/ 亮光




Matte/ 哑光



Color/ 彩釉



Anti-slip/ 防滑釉



FFCVC



Page

Content

01

Introduction
简介

04

Back-to-wall WC pan
靠墙马桶

07


Wall-hung WC pan
挂墙马桶

07

Independent WC pan with pressure flush valve
冲洗阀马桶

08

Two-piece toilet
分体马桶



Page	Content
14	Squatting pan 蹲便
15	Wall-hung urinal 小便挂斗
16	Wash basin 浴室盆
20	Shower tray 淋浴房底座
21	Smart toilet 智能马桶



CB10406

靠墙坐便器


冲水方式：闭圈冲落式

尺寸：490*360*400mm

Back-to-wall WC pan

Flush: boxrim & wash-down

Size: 490*360*400mm





CB10506

靠墙坐便器


冲水方式：开圈冲落式

尺寸：530*360*430mm

Back-to-wall WC pan

Flush: rimless & wash-down

Size: 530*360*430mm





CB10603

靠墙坐便器


冲水方式：开圈冲落式

尺寸：520*360*420mm

Back-to-wall WC pan

Flush: rimless & wash-down

Size: 520*360*420mm



B10603

靠墙妇洗器 - 方形


冲水方式：开圈冲落式

尺寸：515*360*420mm

Back-to-wall Bidet Square

Flush: rimless & wash-down

Size: 515*360*420mm



CB10208

靠墙坐便器


冲水方式：闭圈冲落式

尺寸：550*360*470mm

Back-to-wall WC pan

Flush: boxrim & wash-down

Size: 550*360*470mm



CB10701

靠墙坐便器


冲水方式：闭圈冲落式

尺寸：500*360*390mm

Back-to-wall WC pan

Flush: boxrim & wash-down

Size: 500*360*390mm





CB10106

靠墙坐便器


冲水方式：闭圈冲落式

尺寸：470*360*500mm

Back-to-wall WC pan

Flush: boxrim & wash-down

Size: 470*360*500mm



CH10104

挂墙坐便器


冲水方式：闭圈冲落式

尺寸：525*362*430mm

Wall-hung WC pan

Flush: boxrim & wash-down

Size: 525*362*430mm



CH11025

挂墙冲洗阀坐便器


冲水方式：喷射虹吸式

尺寸：630*366*338mm

Wall-hung WC pan with pressure flush valve

Flush: flush valve/wall outlet

Size: 630*366*338mm



C11021/C11022

冲洗阀类坐便器


冲水方式：喷射虹吸式

尺寸：686*358*381mm (C11021)

686*358*425mm (C11022)

Independent WC pan with pressure flush valve

Flush: Siphonic jet





CT11751

经济型分体坐便器 / 地排冲落式

冲水方式: 闭圈冲落式


尺寸: 740*435*800mm

Close-coupled Toilet suite

Wash-down Close coupled toilet with S-trap

Flush: boxrim & wash-down

Size: 740*435*800mm





CT10505

豪华型分体坐便器 / 加长款墙排冲落式


冲水方式: 开圈冲落式

尺寸: 660*380*855mm

Luxurious close-coupled Toilet suite
Elongated wash-down close coupled toilet
with P-trap

Flush: rimless & wash-down

Size: 660*380*855mm






CT10603

豪华型分体坐便器 / 加长款墙排冲落式

冲水方式：开圈冲落式

尺寸：660*375*845mm

Luxurious close-coupled Toilet suite
Elongated wash-down close coupled toilet
with P-trap
Flush: rimless & wash-down
Size: 660*375*845mm




CT10506

豪华型分体坐便器 / 加长款墙排冲落式

冲水方式：开圈冲落式

尺寸：660*375*845mm

Luxurious close-coupled Toilet suite
Elongated wash-down close coupled toilet
with P-trap
Flush: rimless & wash-down
Size: 660*375*845mm




CT10502

豪华型分体坐便器 / 加长款墙排冲落式

冲水方式：闭圈冲落式

尺寸：665*380*875mm

Luxurious close-coupled Toilet suite
Elongated wash-down close coupled toilet
with P-trap
Flush: boxrim & wash-down
Size: 665*380*875mm




B10506

靠墙妇洗器 - 圆形

冲水方式：开圈冲落式

尺寸：515*360*420mm

Back-to-wall Bidet round
Flush: rimless & wash-down
Size: 515*360*420mm






CT11402

豪华型分体坐便器 / 普通款墙排冲落式

冲水方式: 开圈冲落式

尺寸: 665*390*805mm

Luxurious close-coupled Toilet suite
Standard Height Wash-down close coupled toilet with P-trap
Flush: rimless & wash-down
Size: 665*390*805mm




CT10406

豪华型分体坐便器 / 普通款墙排冲落式

冲水方式: 闭圈冲落式

尺寸: 600*380*780mm

Luxurious close-coupled Toilet suite
Standard Height Wash-down close coupled toilet with P-trap
Flush: boxrim & wash-down
Size: 600*380*780mm




CT10701

豪华型分体坐便器 / 普通款墙排冲落式

冲水方式: 闭圈冲落式

尺寸: 600*395*760mm

Luxurious close-coupled Toilet suite
Standard Height Wash-down close coupled toilet with P-trap
Flush: boxrim & wash-down
Size: 600*395*760mm




CT10702

豪华型分体坐便器 / 加高款墙排冲落式

冲水方式: 闭圈冲落式

尺寸: 600*395*830mm

Luxurious close-coupled Toilet suite
Standard Height Wash-down close coupled toilet with P-trap
Flush: boxrim & wash-down
Size: 600*395*830mm







CT10758

超漩分体坐便器 / 墙排冲落式
冲水方式: 超漩冲落式
尺寸: 630*360*825mm



Luxurious Tornado flush close-coupled Toilet suite
Wash-down close coupled toilet with P-trap
Flush: tornado & wash-down
Size: 630*360*825mm



CH10758

超漩挂墙坐便器 / 墙排冲落式
冲水方式: 超漩冲落式
尺寸: 520*360*355mm



Luxurious Tornado flush wall-hung Toilet suite
Wash-down wall-hung toilet with P-trap
Flush: tornado & wash-down
Size: 520*360*355mm



CB10758

超漩靠墙坐便器 / 墙排冲落式
冲水方式: 超漩冲落式
尺寸: 520*360*420mm



Luxurious Tornado flush back-to-wall Toilet suite
Wash-down back-to-wall toilet with P-trap
Flush: tornado & wash-down
Size: 520*360*420mm



B10758

超漩妇洗器 / 墙排冲落式
冲水方式: 超漩冲落式
尺寸: 560*355*400mm

Luxurious Tornado bidet suite
Flush: tornado & wash-down
Size: 560*355*400mm






CT11428

古典型分体坐便器 / 墙排冲落式
 冲水方式: 开圈冲落式
 尺寸: 690*360*808mm


Classical close-coupled Toilet suite
 Wash-down close coupled toilet with P-trap
 Flush: rimless & wash-down
 Size: 690*360*808mm



CB11428

古典型靠墙坐便器 / 墙排冲落式
 冲水方式: 开圈冲落式
 尺寸: 540*360*400mm


Classical back-to-wall Toilet suite
 Wash-down back-to-wall toilet with P-trap
 Flush: rimless & wash-down
 Size: 540*360*400mm



B11428

古典型妇洗器 / 墙排冲落式
 冲水方式: 开圈冲落式
 尺寸: 540*360*400mm

Classica Bidet suite
 Flush: rimless & wash-down
 Size: 540*360*400mm






CS11318

蹲便器 / 直冲式蹲便器
尺寸: 620*455*275mm


Squatting pan
Wash-down squatting pan
Size: 620*455*275mm



CS11316

蹲便器 / 返水弯式蹲便器
尺寸: 590*445*342mm


Squatting pan
Squatting pan with S-trap
Size: 590*445*342mm



CS11306

蹲便器 / 直冲式蹲便器
尺寸: 585*450*230mm


Squatting pan
Wash-down squatting pan
Size: 585*450*230mm



CS11309

蹲便器 / 返水弯式蹲便器
尺寸: 585*450*290mm

Squatting pan
Squatting pan with S-trap
Size: 585*450*290mm






UH10226

挂墙式小便器 / 经济款
尺寸: 300*240*400mm


Wall-hung urinal
Economic type
Size: 300*240*400mm



UH11400

挂墙式小便器 / 经济款
尺寸: 395*310*510mm


Wall-hung urinal
Economic type
Size: 395*310*510mm



UH11477

挂墙式小便器 / 经济款
尺寸: 360*335*575mm


Wall-hung urinal
Economic type
Size: 360*335*575mm



UH11410

挂墙式小便器 / 智能感应型
尺寸: 675*410*305mm

Wall-hung urinal
Auto flush
Size: 675*410*305mm






LV10301

手盆 / 台下式
尺寸: 555*415*205mm


Wash basin
Drop in basin
Size: 555*415*205mm



LH10212

手盆 / 挂墙式
尺寸: 450*320*195mm


Wash basin
Wall-hung basin
Size: 450*320*195mm



LH10225

手盆 / 挂墙式
尺寸: 450*370*165mm


Wash basin
Wall-hung basin
Size: 450*370*165mm



LV10118

手盆 / 薄边柜盆
尺寸: 765*465*180mm

Wash basin
Thin edge basin
Size: 765*465*180mm






LV10119

手盆 / 薄边柜盆
尺寸: 915*467*182mm


Wash basin
Thin edge basin
Size: 915*467*182mm



LV11608

手盆 / 薄边柜盆
尺寸: 800*495*202mm


Wash basin
Thin edge basin
Size: 800*495*202mm



LV11609

手盆 / 薄边柜盆
尺寸: 900*495*202mm


Wash basin
Thin edge basin
Size: 900*495*202mm



LV10115H

手盆 / 中边柜盆
尺寸: 600*375*165mm

Wash basin
Side pots basin
Size: 600*375*165mm






LV10117H

手盆 / 中边柜盆
尺寸: 750*375*165mm


Wash basin
Side pots basin
Size: 750*375*165mm



LV11248

手盆 / 中边柜盆
尺寸: 800*500*255mm


Wash basin
Side pots basin
Size: 800*500*255mm



LV11531

手盆 / 中边柜盆
尺寸: 800*475*195mm


Wash basin
Side pots basin
Size: 800*475*195mm



LV4780

手盆 / 中边柜盆
尺寸: 750*450*240mm

Wash basin
Side pots basin
Size: 750*450*240mm






LV11620

手盆 / 中边柜盆
尺寸: 998*478*210mm


Wash basin
Side pots basin
Size: 998*478*210mm



LV11556

手盆 / 普通款柜盆
尺寸: 992*570*245mm


Wash basin
Cabinet basin
Size: 992*570*245mm



LV11557

手盆 / 普通款柜盆
尺寸: 1200*615*250mm

Wash basin
Cabinet basin
Size: 1200*615*250mm



Low Profile Offset Quadrant Shower Tray- Right Hand



MAIN INFORMATION

Width:	1000/1200mm
Depth:	800mm
Height:	40mm
Tray Waste Size:	90mm
Weight:	30/34kg
Mount Type:	Floor

Low Profile Offset Quadrant Shower Tray- Left Hand



MAIN INFORMATION

Width:	1000/1200mm
Depth:	800mm
Height:	40mm
Tray Waste Size:	90mm
Weight:	30/34kg
Mount Type:	Floor

Low Profile Square Shower Tray



MAIN INFORMATION

Width:	800/900/1000mm
Depth:	800/900/1000mm
Height:	40mm
Tray Waste Size:	90mm
Weight:	32/38/43kg
Mount Type:	Floor

Low Profile Rectangular Shower Tray



MAIN INFORMATION

Width:	1000/1200/1400mm
Depth:	700/900/1000mm
Height:	40mm
Tray Waste Size:	90mm
Weight:	35/42/49kg
Mount Type:	Floor




C10912B/C

MAIN INFORMATION

Size: 690*420*540mm
 Pan Structure: BTW
 Rim Type: Rimless
 Flush Button: Dual-Flush
 Mount Type: Floor Mounted
 Trapway Type: S-trap
 Outlet Installation Distance S-trap: 300/400mm
 Outlet Installation Distance P-Trap: 180mm
 Concealed Design: YES
 Skirt Type: Fully Skirted
 Voltage: 110/220V

Color: ☐

DIMENSIONAL DRAWING



MAIN FUNCTION

- Bottom Wash
- Bidet/Female Wash
- Massage Wash
- Seat Heating
- Warm Air Drying
- Nozzle Position Adjustable
- Nozzle Self-cleaning
- Remote Control
- Wash Temperature Adjustable
- Drying Temperature Adjustable
- Seat Temperature Adjustable
- Foot Sensing Flush
- One-button Control Washing Drying and Flushing.
- LED Status Display
- Defecation Aid
- Antibacterial Seat
- Out of Power Flushing
- Night Light
- Power Leakage Protection

Seat Heating



LED Status Display



Nozzle Self-cleaning





CH10908A


MAIN INFORMATION

Size: 590*405*395mm
Rim Type: Rimless
Flush Button: Dual-Flush
Mount Type: Wall Mounted
Trapway Type: P-trip
Outlet Installation Distance: 180mm
Skirt Type: Fully Skirted
Voltage: 110/220V

Color:



DIMENSIONAL DRAWING



MAIN FUNCTION

- Bottom Wash
- Bidet/Female Wash
- Massage Wash
- Seat Heating
- Warm Air Drying
- Nozzle Position Adjustable
- Nozzle Self-cleaning
- Remote Control
- Wash Temperature Adjustable
- Drying Temperature Adjustable
- Seat Temperature Adjustable
- Manual Flush
- One-button Control Washing Drying and Flushing.
- Defecation Aid
- Antibacterial Seat
- Night Light
- Power Leakage Protection

Nozzle Self-cleaning



One-button Control

Top View



CH10908C


MAIN INFORMATION

Size: 590*405*395mm
Rim Type: Rimless
Flush Button: Dual-Flush
Mount Type: Wall Mounted
Trapway Type: P-trip
Outlet Installation Distance: 180mm
Skirt Type: Fully Skirted
Voltage: 110/220V

Color:



DIMENSIONAL DRAWING



MAIN FUNCTION

- Bottom Wash
- Bidet/Female Wash
- Massage Wash
- Seat Heating
- Warm Air Drying
- Nozzle Position Adjustable
- Nozzle Self-cleaning
- Remote Control
- Wash Temperature Adjustable
- Drying Temperature Adjustable
- Seat Temperature Adjustable
- Auto Flush After Use
- Automatic Seat Cover Open/Close
- One-button Control Washing Drying and Flushing.
- Defecation Aid
- Antibacterial Seat
- Night Light
- Power Leakage Protection

Seat Heating



Cover Detail

Soft Close



CH10909



MAIN INFORMATION

Size: 600*385*400mm
Rim Type: Rimless
Flush Button: Dual-Flush
Mount Type: Wall Mounted
Trapway Type: P-trap
Outlet Installation Distance P-Trap: 180mm
Skirt Type: Fully Skirted
Voltage: 220V

Color: ☐ ☒ ☐

MAIN FUNCTION

- Bottom Wash
- Bidet/Female Wash
- Massage Wash
- Moving Massage
- Soft Close
- Nozzle Self-cleaning
- Remote Control
- Instant Heating
- Drying Temperature Adjustable
- User Seated Sensor
- Defecation Aid
- Deodorization
- Descaling
- Antibacterial Seat
- Pre-wetting

CH10909R



MAIN INFORMATION

Size: 600*385*400mm
Rim Type: Rimless
Flush Button: Dual-Flush
Mount Type: Wall Mounted
Trapway Type: P-trap
Outlet Installation Distance P-Trap: 180mm
Skirt Type: Fully Skirted
Voltage: 220V

Color: ☐ ☒ ☐

MAIN FUNCTION

- Bottom Wash
- Bidet/Female Wash
- Massage Wash
- Moving Massage
- Soft Close
- Nozzle Self-cleaning
- Remote Control
- Instant Heating
- Drying Temperature Adjustable
- User Seated Sensor
- Defecation Aid
- Deodorization
- Descaling
- Antibacterial Seat
- Pre-wetting
- Seat Heating

CH10909T



MAIN INFORMATION

Size: 600*385*400mm
Rim Type: Rimless
Flush Button: Dual-Flush
Mount Type: Wall Mounted
Trapway Type: P-trap
Outlet Installation Distance P-Trap: 180mm
Skirt Type: Fully Skirted
Voltage: 220V

Color: ☐ ☒ ☐

MAIN FUNCTION

- Bottom Wash
- Bidet/Female Wash
- Massage Wash
- Moving Massage
- Soft Close
- Nozzle Self-cleaning
- Remote Control
- Instant Heating
- Drying Temperature Adjustable
- User Seated Sensor
- Defecation Aid
- Deodorization
- Descaling
- Antibacterial Seat
- Pre-wetting

CH10404A



MAIN INFORMATION

Size: 600*385*400mm
Rim Type: Rimless
Flush Button: Dual-Flush
Mount Type: Wall Mounted
Trapway Type: P-trap
Outlet Installation Distance P-Trap: 180mm
Skirt Type: Fully Skirted
Voltage: 220V

Color:   

MAIN FUNCTION

- Bottom Wash
- Bidet/Female Wash
- Massage Wash
- Moving Massage
- Soft Close
- Nozzle Self-cleaning
- Remote Control
- Instant Heating
- Drying Temperature Adjustable
- User Seated Sensor
- Defecation Aid
- Deodorization
- Descaling
- Antibacterial Seat
- Pre-wetting

CH10404F



MAIN INFORMATION

Size: 600*385*400mm
Rim Type: Rimless
Flush Button: Dual-Flush
Mount Type: Wall Mounted
Trapway Type: P-trap
Outlet Installation Distance P-Trap: 180mm
Skirt Type: Fully Skirted
Voltage: 220V

Color:   

MAIN FUNCTION

- Bottom Wash
- Bidet/Female Wash
- Massage Wash
- Moving Massage
- Soft Close
- Nozzle Self-cleaning
- Remote Control
- Instant Heating
- Drying Temperature Adjustable
- User Seated Sensor
- Defecation Aid
- Deodorization
- Descaling
- Antibacterial Seat
- Pre-wetting
- Seat Heating



Bottom Wash



Woman Wash



Drying




C12201B/C

MAIN INFORMATION

Size: 680*390*490
 Rim Type: Rimless
 Flush Button: Dual-Flush
 Mount Type: Floor Mounted
 Trapway Type: S-trap
 Outlet Installation Distance S-trap: 300/400mm
 Outlet Installation Distance P-Trap: 180mm
 Skirt Type: Fully Skirted
 Voltage: 110/220V

Color: 

DIMENSIONAL DRAWING



MAIN FUNCTION

- Bottom Wash
- Bidet/Female Wash
- Massage Wash
- Seat Heating
- Warm Air Drying
- Nozzle Position Adjustable
- Nozzle Self-cleaning
- Remote Control
- Wash Temperature Adjustable
- Wash Pressure Adjustable
- Drying Temperature Adjustable
- Seat Temperature Adjustable
- Foot Sensing Flush
- One-button Control Washing Drying and Flushing.
- LED Status Display
- Defecation Aid
- Antibacterial Seat
- Out of Power Flushing
- Night Light
- Power Leakage Protection

One-button Control



Nozzle Self-cleaning

LED Status Display






C12209B/C

MAIN INFORMATION

Size: 660*380*510mm
Rim Type: Rimless
Flush Button: Dual-Flush
Mount Type: Floor Mounted
Trapway Type: S-trap
Outlet Installation Distance S-trap: 300mm
Outlet Installation Distance P-Trap: 180mm
Skirt Type: Fully Skirted
Voltage: 110/220V

Color: ☐

DIMENSIONAL DRAWING



MAIN FUNCTION

- Bottom Wash
- Bidet/Female Wash
- Massage Wash
- Warm Air Drying
- Nozzle Position Adjustable
- Nozzle Self-cleaning
- Remote Control
- Wash Temperature Adjustable
- Wash Pressure Adjustable
- Drying Temperature Adjustable
- Seat Temperature Adjustable
- Foot Sensing Flush
- One-button Control Washing Drying and Flushing.
- Antibacterial Seat
- Out of Power Flushing
- Night Light
- Power Leakage Protection

Automatic Cover



One-button Control



Nozzle Self-cleaning





C12045


MAIN INFORMATION

Size: 680*390*490mm
 Pan Structure: BTW
 Rim Type: Rimless
 Flush Button: Dual-Flush
 Mount Type: Floor Mounted
 Trapway Type: S-trap
 Outlet Installation Distance S-trap: 300/400mm
 Outlet Installation Distance P-Trap: 180mm
 Concealed Design: YES
 Skirt Type: Fully Skirted
 Voltage: 110/220V

Color:



DIMENSIONAL DRAWING



MAIN FUNCTION

- Bottom Wash
- Bidet/Female Wash
- Warm Air Drying
- Nozzle Position Adjustable
- Nozzle Self-cleaning
- Remote Control
- Wash Temperature Adjustable
- Drying Temperature Adjustable
- Seat Temperature Adjustable
- Automatic Seat Cover Open/Close
- One-button Control Washing Drying and Flushing.
- LED Status Display
- Defecation Aid
- Antibacterial Seat
- Out of Power Flushing
- Night Light
- Power Leakage Protection

LED Status Display



Warm Air Drying



One-button Control







C19025

MAIN INFORMATION

Size: 690*450*385mm
 Rim Type: Rimless
 Flush Button: Dual-Flush
 Mount Type: Floor Mounted
 Trapway Type: S-trap
 Outlet Installation Distance S-trap: 250/300 mm
 Outlet Installation Distance P-Trap: 180mm
 Skirt Type: Fully Skirted
 Voltage: 220V

Color: ☐

DIMENSIONAL DRAWING



MAIN FUNCTION

- Bottom Wash
- Bidet/Female Wash
- Massage Wash
- Warm Air Drying
- Nozzle Self-cleaning
- Remote Control
- Wash Temperature Adjustable
- Wash Pressure Adjustable
- Drying Temperature Adjustable
- Seat Temperature Adjustable
- Foot Sensing Flush
- One-button Control Washing Drying and Flushing.
- Antibacterial Seat
- Out of Power Flushing
- Night Light
- Power Leakage Protection
- IPX4 Water Proof Cover
- Double Filter
- Kids Washing Mode

One-button Control



LED Status Display



Side View



CB10506S



MAIN INFORMATION

Size: 520*360*420mm
Rim Type: Rimless
Flush Button: Dual-Flush
Mount Type: Floor Mounted
Trapway Type: P-trap
Outlet Installation Distance P-Trap: 180mm
Skirt Type: Fully Skirted
Voltage:220V
Color: ☐

MAIN FUNCTION

- Bottom Wash
- Bidet/Female Wash
- Massage Wash
- Moving Massage
- Detachable Nozzle
- Nozzle Self-cleaning
- Remote Control
- Wash Temperature Adjustable
- Wash Pressure Adjustable
- Deodorization
- Night Light
- Descaling
- Pre-wetting

CH10506S



MAIN INFORMATION

Size: 520*360*370mm
Rim Type: Rimless
Flush Button: Dual-Flush
Mount Type: Wall Mounted
Trapway Type: P-trap
Outlet Installation Distance P-Trap: 180mm
Skirt Type: Fully Skirted
Voltage:220V
Color: ☐

MAIN FUNCTION

- Bottom Wash
- Bidet/Female Wash
- Massage Wash
- Moving Massage
- Detachable Nozzle
- Nozzle Self-cleaning
- Remote Control
- Wash Temperature Adjustable
- Wash Pressure Adjustable
- Deodorization
- Night Light
- Descaling
- Pre-wetting

CT10506S



MAIN INFORMATION

Size: 660*375*845mm
Rim Type: Rimless
Flush Button: Dual-Flush
Mount Type: Floor Mounted
Trapway Type: P-trap
Outlet Installation Distance P-Trap: 180mm
Skirt Type: Fully Skirted
Voltage:220V
Color: ☐

MAIN FUNCTION

- Bottom Wash
- Bidet/Female Wash
- Massage Wash
- Moving Massage
- Detachable Nozzle
- Nozzle Self-cleaning
- Remote Control
- Wash Temperature Adjustable
- Wash Pressure Adjustable
- Deodorization
- Night Light
- Descaling
- Pre-wetting

CB10603S



MAIN INFORMATION

Size: 520*375*420mm
Rim Type: Rimless
Flush Button: Dual-Flush
Mount Type: Floor Mounted
Trapway Type: P-trap
Outlet Installation Distance P-Trap: 180mm
Skirt Type: Fully Skirted
Voltage: 220V
Color: ☐

MAIN FUNCTION

- Bottom Wash
- Bidet/Female Wash
- Massage Wash
- Moving Massage
- Detachable Nozzle
- Nozzle Self-cleaning
- Remote Control
- Wash Temperature Adjustable
- Wash Pressure Adjustable
- Deodorization
- Night Light
- Descaling
- Pre-wetting

CH10603S



MAIN INFORMATION

Size: 520*360*370mm
Rim Type: Rimless
Flush Button: Dual-Flush
Mount Type: Wall Mounted
Trapway Type: P-trap
Outlet Installation Distance P-Trap: 180mm
Skirt Type: Fully Skirted
Voltage:110/220V
Color: ☐

MAIN FUNCTION

- Bottom Wash
- Bidet/Female Wash
- Massage Wash
- Moving Massage
- Detachable Nozzle
- Nozzle Self-cleaning
- Remote Control
- Wash Temperature Adjustable
- Wash Pressure Adjustable
- Deodorization
- Night Light
- Descaling
- Pre-wetting

CT10603S



MAIN INFORMATION

Size: 660*375*845mm
Rim Type: Rimless
Flush Button: Dual-Flush
Mount Type: Floor Mounted
Trapway Type: P-trap
Outlet Installation Distance P-Trap: 180mm
Skirt Type: Fully Skirted
Voltage:110/220V
Color: ☐

MAIN FUNCTION

- Bottom Wash
- Bidet/Female Wash
- Massage Wash
- Moving Massage
- Detachable Nozzle
- Nozzle Self-cleaning
- Remote Control
- Wash Temperature Adjustable
- Wash Pressure Adjustable
- Deodorization
- Night Light
- Descaling
- Pre-wetting



website



Youtube



Linkedin

